

REFERENCES

- Ahmad, H., Razali, S., & Mohamed, M. R. (2013). Fuzzy Logic Controller Design for A Robot Grasping System with Different Membership Functions. *IOP Conference Series: Materials Science and Engineering*, 53(1), 012051.
- Alassar, A. Z., Abuhadrous, I. M., & Elaydi, H. A. (2010). Comparison between FLC and PID controller for 5DOF robot arm. *Proceedings - 2nd IEEE International Conference on Advanced Computer Control, ICACC 2010*, 5, 277–281.
- Ashraf, M., Mohd Tumari, M. Z., & Kasruddin Nasir, A. N. (2013). Composite Fuzzy Logic Control Approach to a Flexible Joint Manipulator. *International Journal of Advanced Robotic Systems*, 1.
- Bemfica, J. R., Melchiorri, C., Moriello, L., Palli, G., & Scarcia, U. (2014). A Three-Fingered Cable-Driven Gripper for Underwater Applications, *IEEE International Conference on Robotics & Automation (ICRA)*, 2469–2474.
- Biagiotti, L., Melchiorri, C., & Vassura, G. (2001). Control of a robotic gripper for grasping objects in no-gravity conditions. *Proceedings 2001 ICRA. IEEE International Conference on Robotics and Automation*, 2, 1427–1432.
- Cheraghpour, F., Moosavian, S. A. a., & Nahvi, A. (2010). Robotic grasp planning by multiple aspects grasp index for object manipulation tasks. *18th Iranian Conference on Electrical Engineering*, 635–640.
- Chopra, V., Singla, S. K., & Dewan, L. (2014). Comparative analysis of tuning a PID controller using intelligent methods. *Acta Polytechnica Hungarica*, 11(8), 235–249.
- Datta, R., Pradhan, S., & Bhattacharya, B. (2016). Analysis and Design Optimization of a Robotic Gripper Using Multiobjective Genetic Algorithm. *IEEE Transactions on Systems man and Cybe3rnetics*, 46(1), 16–26.
- Direct Industry (2016). The Online Industrial Exhibition. Retrieved from www.directindustry.com.
- Dominguez-Lopez, J. A. and Damper, R. I. and Crowder, R. M. and Harris, C. J. (2003). Optimal Object Grasping using Fuzzy Logic. In *International Conference on Robotics, Vision, Information and Signal Processing (ROVISP)* 367–372.
- Fernandez, J. J., & Walker, I. D. (1998). Biologically inspired robot grasping using genetic programming. *Proceedings. 1998 IEEE International Conference on Robotics and Automation* , 3032–3039.
- Galan, G., & Jagannathan, S. (2001). Adaptive critic-based neural network object contact controller for a three-finger gripper. *Proceeding of the 2001 IEEE International Symposium on Intelligent Control (ISIC '01)* , 109–114.

- Glossas, N. I., & Aspragathos, N. A. (2010). A cluster based fuzzy controller for grasp and lift fragile objects. *18th Mediterranean Conference on Control and Automation, MED'10 - Conference Proceedings*, 1139–1144.
- Gomez-Ramirez, E. and Chavez-Placencia, A.. (2004). How to tune fuzzy controllers, *Fuzzy Systems, 2004. Proceedings. 2004 IEEE International Conference on* ,3, 1287-1292.
- Goodwin, A. W., Jenmalm, P., & Johansson, R. S. (1998). Control of Grip Force When Tilting Objects: Effect of Curvature of Grasped Surfaces and Applied Tangential Torque. *The Journal of Neuroscience.*, 18(24), 10724–10734.
- Han, N., Han, Y., & Wang, C. (2011). Comparative analysis on a vehicle's speed control systems stability based on fuzz rules and PID method. *Proceedings of 2011 International Conference on Electronic and Mechanical Engineering and Information Technology, EMEIT 2011*, 4, 2069–2072.
- Holand, J.H. (1975). *Adaption in Natural and Artificial Systems*. University of Michigan Press.
- Howard, W. S., & Kumar, V. (1996). On the stability of grasped objects. *IEEE Transactions on Robotics and Automation*, 12(6), 904–917.
- Hunt, V.D. (1983). *Industrial Robotics Handbook*. Industrial Press Inc. New York. 4th Ed. United States of America.
- Ishak, A., Soh, A., & Ashaari, M. (2013). Position Control of Arm Mechanism Using Pid Controller. *Journal of Theoretical & Applied Information Technology*, 47(2).
- Kala, H., Deepakraj, D., Gopalakrishnan, P., Vengadesan, P., & Iyyar, M. K. (2014). Performance Evaluation of Fuzzy Logic and PID Controller for Liquid Level Process. *International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering*, 2(3), 1311–1314.
- Kasruddin Nasir, A. N., Ahmad, M. A., Ghazali, R., & Pakheri, N. S. (2011). Performance comparison between Fuzzy Logic Controller (FLC) and pid controller for a highly nonlinear two-wheels balancing robot. *Proceedings - 1st International Conference on Informatics and Computational Intelligence, ICI 2011*, 176–181.
- Khodayari, A., Zarefar, B., Kheirikhah, M. M., & Mirsadeghi, E. (2011). Force control of a SMA actuated gripper by using self tuning fuzzy PID controller. *Proceedings - 2011 IEEE International Conference on Control System, Computing and Engineering, ICCSCE 2011*, 312–316.
- Khuntia, S. R., Mohanty, K. B., Panda, S., & Ardil, C. (2010). A Comparative Study of P-I, I-P, Fuzzy and Neuro-Fuzzy Controllers for Speed Control of DC Motor Drive. *International Journal of Electrical and Computer Engineering*, 5(5), 287–291.

- Korayem, M. H., Nohooji, H. R., & Nikoobin, A. (2011). Path planning of mobile elastic robotic arms by indirect approach of optimal control. *International Journal of Advanced Robotic Systems*, 8(1), 10–20.
- Korayem, M.H., Nikoobin, A. & Azimirad, V. (2009). Maximum load carrying capacity of mobile manipulators. *Optimal Control Approach. Robotica*, 27(1), 147-159.
- Korstanje, J. (2012). *An underactuated gripper mechanism for picking objects from a tabletop*. MSc. Thesis. Delft University of Technology, Netherlands.
- Koustoumpardis, P. N., Nastos, K. X., & Aspragathos, N. A. (2015). Underactuated 3-finger robotic gripper for grasping fabrics. *23rd International Conference on Robotics in Alpe-Adria-Danube Region, IEEE RAAD 2014 - Conference Proceedings*.
- Koustoumpardis, P. N., Nastos, K. X., & Aspragathos, N. A. (2015). Underactuated 3-finger robotic gripper for grasping fabrics. *23rd International Conference on Robotics in Alpe-Adria-Danube Region, IEEE RAAD 2014 - Conference Proceedings*.
- Krihnaraju, A., Ramkumar, R. and Lenin, V.R. (2015) Design of three fingered robot gripper mechanism. *International Journal on Mechanical Engineering and Robotics*. 3(3), 18-24.
- Lee, J. J., & Tsai, Y. W. (2005). Path synthesis of a finger-type gripping mechanism. *Mechanism and Machine Theory*, 40(11), 1209–1223.
- Li, G., Fu, C., Zhang, F., & Wang, S. (2015). A Reconfigurable Three-Finger Robotic Gripper. *International Conference on Information and Automation*, 1556–1561.
- Lin, P.-H. L. P.-H., Hwang, S. H. S., & Chou, J. (1994). Comparison on fuzzy logic and PID controls for a DC motor position controller. *Proceedings of 1994 IEEE Industry Applications Society Annual Meeting*. 1930-1935.
- Luo, M., Carbone, G., Ceccarelli, M., & Zhao, X. (2010). Analysis and design for changing finger posture in a robotic hand. *Mechanism and Machine Theory*, 45(6), 828–843.
- Luo, M., Lu, C., Mei, T., & Zha, S. (2005). Intelligent grasping of an underactuated hand for space robots. *Proc. Of the 8th International Symposium on Artificial Intelligence, Robotics and Automation in Space-iSAIRAS* (603), 907–912.
- Mahmud, K., & Tao, L. (2013). Vehicle speed control through fuzzy logic. *2013 IEEE Global High Tech Congress on Electronics*, 1, 30–35.
- Miller, A. T., Knoop, S., Christensen, H. I., & Allen, P. K. (2003). Automatic grasp planning using shape primitives. *Robotics and Automation, 2003. Proceedings. ICRA'03. IEEE International Conference on*, 2, 1824–1829.

- Mohiuddin, M. S. (2013). Comparative study of PID and Fuzzy tuned PID controller for speed control of DC motor. *International Journal of Innovations in Engineering and Technology (IJIET)*, 2(4), 291-301.
- Monkman, G.J., Stefan, H., Steinmann, R., Schunk, H. (2007). *Robot Grippers*. Wiley-VCH. Valentin Petrov. British Library.
- Natarajan, E., & Dhar, L. (2013). Kinematic Analysis of Three Fingered Robot Hand Using Graphical Method. *IACSIT International Journal of Engineering and Technology*, 5(4), 518–522.
- Negnevitsky, M. (2005). *Artificial Intelligence A Guide to Intelligent Systems*. 2nd Ed .England: Addison Wesley.
- Nise, N.S. (2015). *Control Systems Engineering*. 7th Ed. Wiley.
- Ohol, S., & Kajale, S. (2008). Simulation of Multifinger Robotic Gripper for Dynamic Analysis of Dexterous Grasping. *Proceedings of the World Congress on Engineering and Computer Science (WCECS 2008)*.
- Olunloyo, V. O. S. (2011). On Development of Fuzzy Controller: The Case of Gaussian and Triangular Membership Functions. *Journal of Signal and Information Processing*, 02, 257–265.
- Park, K. T., & Kim, D. H. (2012). Robotic handling gripper using three fingers. *2012 9th International Conference on Ubiquitous Robots and Ambient Intelligence, URAI 2012*, 588–592.
- Pati, S., Panda, A., & Mohanty, S. (2014). A Comparative Performance Study of Scalar Controlled Induction Motor Using PID Controller and Fuzzy PID Controller. *2014 International Conference on Circuit, Power, and Computing Technologies (ICCPCT)*, 904–909.
- Petkovic', D., Shamshirband, S., Anuar, N. B., Sabri, A. Q. M., Abdul Rahman, Z. Bin, & Pavlovic', N. D. (2015). Input Displacement Neuro-fuzzy Control and Object Recognition by Compliant Multi-fingered Passively Adaptive Robotic Gripper. *Journal of Intelligent and Robotic Systems: Theory and Applications*.
- Phillips, C.L. and Habor, R.D. (1995). *Feedback Control Systems*. 3rd Ed. Prentice-Hall. Simon& Schuster.
- Pontil, M., & Verri, A. (1998). Support Vector Machines for 3D Object Recognition. *IEEE Transactions on Pattern Analysis and Machine*, 20(6), 637–646.
- Radhiku Dhuru (2015). Gripping Developments (online). Retrieved from <https://www.materialise.com> on 13 November 2015.
- Ranaweera, R. D., & Randeniya, D. (2014). Mechanical Gripper Design for Handling Soft Objects Without Using Electronic Sensors, *SAITM Research Symposium on Engineering Advancements*, 177–180.

- Robotiq (2013). Adaptive gripper (online). Retrieved from <http://robotiq.com> on 23 November 2011.
- RobotWorx (2016). A wide selction of Industrial Robots (online). Retrieved from <https://www.used-robots.com>.
- Rovetta, A., & Wen, X. (1991). Fuzzy Logic in robot grasping control. *International Workshop on Intelligent Robots and Systems Iros (91)*, pp. 1632-1637.
- Samavati, F. C., Feizollahi, A., Sabetian, P., & Moosavian, S. A. A. (2011). Design, fabrication and control of a three-finger robotic gripper. *Proceedings - 1st International Conference on Robot, Vision and Signal Processing, RVSP*, 280–283.
- SimMechanics 2 User's Guide. 2001-2007. 3rd Ed. The Mathworks, Inc.
- Singh, A., & Chawla, V. (2015). Kinematic Design & Analysis of a Three Finger Gripper. *HCTL Open International Journal of Technology Innovations and Research (IJTIR)*, 16, 1–10.
- Singh, P., Kumar, A., & Vashisth, M. (2013). Design of a Robotic Arm with Gripper & End Effector for Spot Welding. *Universal Journal of Mechanical Engineering*, 1(3), 92–97.
- Singh, P., Kumar, A., & Vashisth, M. (2013). Design of a Robotic Arm with Gripper & End Effector for Spot Welding. *Universal Journal of Mechanical Engineering*, 1(3), 92–97.
- Soh, A. C., Alwi, E. A., Rahman, R. Z. A., & Fey, L. H. (2008). Effect of Fuzzy Logic Controller Implementation on a Digitally Controlled Robot Movement. *Kathmandu University Journal of Science, Engineering and Technology*, 4(1), 28–39.
- Soreshjani, M. H., Abjadi, N. R., Kargar, A., & Markadeh, G. A. (2014). A comparison of fuzzy logic and PID controllers to control transmitted power using a TCSC. *Turkish Journal of Electrical Engineering and Computer Sciences*, 22(6), 1463–1475.
- Stasik, K. (2005). Mathematical model of a mechatronic pinch-type gripper for textiles. *Fibres and Textiles in Eastern Europe*, 13(1), 67–70.
- Sutton, R.S and Barto, A.G. (1998). *Reinforcement Learning*. Richard S.Sutton. MIT Press.
- Suykens, J. A. K., Vandewalle, J., & De Moor, B. (2001). Optimal control by least squares support vector machines. *Neural Networks*, 14(1), 23–35.
- Telegenov, K., Tlegenov, Y., & Shintemirov, A. (2015). A Low-Cost Open-Source 3-D-Printed Three-Finger Gripper Platform for Research and Educational Purposes. *IEEE Access*, 3, 638–647.

- Widhiada, W., Douglas, S., Jenkinson, I., & Gomm, J. (2012). Design and control of three fingers motion for dexterous assembly of compliant elements. *International Journal of Engineering, Science and Technology*, 3(6), 18–34.
- Widhiada, W., Nindhia, T. G. T., & Budiarsa, N. (2015). Robust Control for the Motion Five Fingered Robot Gripper. *International Journal of Mechanical Engineering and Robotics Research*. 4(3), 226–232.
- Wood, G. D., & Kennedy, D. C. (n.d.). *Simulating Mechanical Systems in Simulink with SimMechanics*, 1–25.
- Xizhe, Z., Jie, Z., Chen, W., & Hegao, C. (2004). Study on a SVM-based data fusion method. *Proceedings of the 2004 IEEE Conference on Robotics, Automation and Mechatronics*, (1), 413–415.
- Yime E. ; Univ. Tecnolgica de Bolvar, C. C. ; V. J. L. ; P. J. (2014). Design of a brushed DC motors PID controller for development of low-cost robotic applications. *Engineering Mechatronics and Automation (CIIMA), 2014 III International Congress of*, 2–5.
- Zaki, A. M., Mahgoub, O. A., El-Shafei, A. M., & Soliman, A. M. (2010). Design and implementation of efficient intelligent robotic gripper. *WSEAS Transactions on Systems*, 9(11), 1130–1142.
- Zaki, A.M., Mahgoub, O. A, El-Shafei, A.M., & Soliman, A.M. (2012). *Control of Efficient Intelligent Robotic Gripper Using Fuzzy Inference System, Fuzzy Inference System- Theory and Applications*. Dr. Mohammad fazle Azeem (Ed.), ISBN: 978-953-51-0525-1, InTech.
- Zhao, J., & Bose, B. K. (2002). Evaluation of Membership Functions for Fuzzy Logic Controlled Induction Motor Drive. *IEEE 2002 28th Annual Conference of the Industrial Electronics Society*.